A third concern is that higher taxes would lead to massive increases in smuggling, thereby keeping smoking high but reducing government revenues. Smuggling is a serious problem. Estimates suggest that 6-8% of all cigarettes consumed globally are smuggled, mostly in the form of non-taxed cigarettes exported free of tax and smuggled back into a country. Large tax differentials between countries provide an obvious motive for smuggling. However, corruption within countries is a stronger predictor of smuggling than price. An econometric model that accounts for potential bootlegging (the legal purchase of cigarettes in one country for consumption or resale in another country without paying applicable taxes or duties) in response to tax increases in 23 European countries in 1995 finds that a unilateral tax increase of 10% by one country would lead to an average increase of 7% in revenue. Coordinated tax increases among neighbouring legislatures would increase tax revenues by 8%.26

It is important to note the experience of Canada,27 which reduced its tax rates as an attempt to counter smuggling. The result was that consumption rose, especially among youths, and revenues fell. Thus, rather than forgoing the health benefits of reduced smoking, and increased revenue, the appropriate response for governments is to crack down on smuggling. Smuggling control is a top priority of the World Health Organization's framework convention on tobacco control.

Conclusion

The threat posed by smoking to global health is unprecedented, but so is the potential for preventing millions of smoking related deaths with highly effective policies. A comprehensive tobacco control policy is not likely to harm economies.

This paper does not represent official views of the World Bank or the World Health Organization. We thank Son Nguyen and Phyllida Brown for helpful comments.

Competing interests: None declared.

- 1 Peto R, Lopez AD. The future worldwide health effects of current smoking patterns. In: Koop CE, Pearson CE, Schwarz MR, eds. Global health in the 21st century. New York: Jossey-Bass (in press).
- Jha P, Chaloupka FJ. Curbing the epidemic: governments and the economics of tobacco control. Washington, DC: World Bank, 1999.
- Jha P, Chaloupka FJ, eds. Tobacco control in developing countries. Oxford: Oxford University Press, 2000.
- World Health Organization. Making a difference, world health report 1999. Geneva: WHO, 1999.

- Gupta PC. Survey of sociodemographic characteristics of tobacco use among 99,598 individuals in Bombay, India, using handheld computers. Tobacco Control 1996;5:114-20.
- Tobacco and tolerance. Economist 1997 Dec 20:59-61.
- Jha P, Musgrove P, Chaloupka FJ, Yurekli A. The economic rationale for intervention in the tobacco market. In: Jha P, Chaloupka FJ, eds. *Tobacco* control in developing countries. Oxford: Oxford University Press, 2000:153-
- Warner KE, Chaloupka FJ, Cook PJ, Manning WG, Newhouse JP, Novotny TE, et al. Criteria for determining an optimal cigarette tax: the economist's perspective. Tobacco Control 1995;4:380-6.
- Kenkel D. Chen L. Consumer information and tobacco use. In: Iha P. Chaloupka FJ, eds. Tobacco control in developing countries. Oxford: Oxford University Press, 2000:177-214.
- 10 Chinese Academy of Preventive Medicine. Smoking in China: 1996 national prevalence survey of smoking pattern. Beijing: China Science and Technology Press, 1997.
- 11 Weinstein ND. Accuracy of smokers' risk perceptions. Ann Behav Med 1998;20:135-40.
- 12 US Department of Health and Human Services. Preventing tobacco use among young people. A report of the Surgeon General. Atlanta, GA: US Department of Health and Human Services, Public Health Service, Centers for Disease Control, Center for Chronic Disease Prevention and Health Promotion, Office on Smoking and Health, 1994.
- 13 US Department of Health and Human Services. Reducing the health conseof smoking: 25 years of progress. A report of the surgeon ge ville, MD: US Department of Health and Human Services, Public Health Service, Centers for Disease Control, Center for Chronic Disease Prevention and Health Promotion, Office on Smoking and Health, 1989. (DHHS Publication No (CDC)89-8411.)
- 14 Orphanides A, Zervos D. Rational addiction with learning and regret. J Political Econ 1995;103:739-58.
- 15 Siegel M, Biener L, Rigotti NA. The effect of local tobacco sales laws on
- adolescent smoking initiation. Prev Med 1999;29:334-42.
 Chaloupka FJ, Hu T-W, Warner KE, Jacobs R, Yurekli A. The taxation of tobacco products. In: Jha P, Chaloupka FJ, eds. Tobacco control in developing countries. Oxford: Oxford University Press; 2000:237-72.
- Townsend JL. Policies to halve smoking deaths. Addiction 1993;88:43-52.
 Saffer H, Chaloupka FJ. Tobacco advertising: economic theory and inter-
- national evidence. J Health Econ (in press).
- 19 Yurekli AA, Zhang P. The impact of clean indoor-air laws and cigarette smuggling on demand for cigarettes: an empirical model. *Health Econ* 2000;9:159-70.
- 20 Raw M, McNeill A, West R. Smoking cessation: evidence-based recommendations for the healthcare system. BMJ 1999;318:182-5.
- 21 Warner KE, Slade J, Sweanor DT. The emerging market for long-term nicotine maintenance. JAMA 1997;278:1087-92.
- 22 Ranson K, Jha P, Chaloupka FJ, Yurekli A. Effectiveness and cost-effectiveness of price increases and other tobacco control policies. In: Jha P, Chaloupka FJ, eds. *Tobacco control in developing countries*. Oxford: Oxford University Press, 2000:427-47.
- 23 Van der Merwe R. Employment issues in tobacco control. In: Abedian I, van der Merwe R, Wilkins N, Jha P, eds. The economics of tobacco control: towards an optimal policy mix. Cape Town: Applied Fiscal Research Centre, University of Cape Town, 1998:199-209.
- 24 Taylor AL, Chaloupka FJ, Guindon E, Corbett M. The impact of trade liberalization on tobacco consumption. In: Jha P, Chaloupka FJ, eds. Tobacco control in developing countries. Oxford: Oxford University Press, 2000:343-
- 25 Joossens L, Raw M. Smuggling and cross-border shopping of tobacco in Europe. BMJ 1995;310:1393-97.
- 26 Merriman D, Chaloupka FJ, Yurekli A. How big is the worldwide cigarette smuggling problem? In: Jha P, Chaloupka FJ, eds. Tobacco control in developing countries. Oxford: Oxford University Press; 2000:365-92.
- 27 Sweanor DT, Martial LR. The smuggling of tobacco products: lessons from Canada. Ottawa: Non-Smokers' Rights Association, Smoking and Health Action Foundation, 1994.

(Accepted 5 July 2000)

Everest and the therapeutic cigarette

Recently I had the opportunity to read the official account of the 1922 Everest expedition, written mainly by its leader, Brigadier the Honorable C G Bruce. Of special medical interest, however, is a chapter on respiratory problems by Captain G I Finch, a strong and, at the time, rather unpopoular advocate of auxilliary oxygen, but, after Mallory, probably the finest mountaineer in the party. It

"Cigarette smoking proved of great value at high altitudes. At first we noticed that unless one kept one's mind on the question of breathing-that is, made breathing a voluntary process instead of the involuntary process it normally is—one suffered from a lack of air and a consequent feeling of suffocation.... A voluntary process must be substituted, and this throws a

considerable strain on the mind and renders sleep impossible. On smoking cigarettes, we discovered that after the first few inhalations it was no longer necessary to concentrate on breathing, the process becoming once more an involuntary one. Evidently some constitutent of the cigarette smoke takes the place and performs the stimulation function of the carbon dioxide normally present. The effect of a cigarette lasted for about three hours.'

It is also of interest that listed among the stores of the successful first ascent of Kangchenjunga in 1955 were 25 000 cigarettes and 16 lb of tobacco, and I bet they finished the lot.

C L Davidson retired consultant physician, Skipton